



CANBERRA VISTA

HDB's Sales Launch February 2020



A Retreat To Call Home

Located along Canberra Drive, Canberra Vista will comprise 15 ten-storey residential blocks. You can choose from 1,467 units of 2-room Flexi, 3-, 4-, 5-room, and 3Gen flats.

Canberra Vista is conveniently located next to Canberra MRT station and across the road from the upcoming Canberra Plaza neighbourhood centre. You can enjoy a variety of shopping and dining options at the nearby Sembawang Shopping Centre, and a multitude of eating places along Sembawang Road.



Adorned with lush landscaping, Canberra Vista is named after its design as a home amid nature, with many green spaces within the estate. The roof gardens above the Multi-storey Car Parks and playgrounds will serve as communal spaces where you can mingle with your family and neighbours. Unwind after a hard day's work by stretching those tired muscles at the fitness stations at your doorstep or enjoy a jog along the adjacent Yishun Park Connector and Sungei Simpang Kiri.

A childcare centre and a Residents' Committee Centre will also be located within the development. Please refer to the site plan for the facilities provided in the development. Facilities in this development will be open to public.

HDB precincts are planned to serve the evolving needs of the community. There are spaces catered for future inclusion of amenities/facilities (such as childcare centres, elderly-related facilities, education centres, residents' committee centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities depending on the prevailing needs. These spaces could be in the void decks, common property, car parks or stand-alone community buildings.


To facilitate your flat selection, we have provided information on the surrounding land use, proposed facilities and their locations in the maps and plans in this brochure. As the information provided is based on the current planning intent of the relevant government agencies, they are indicative only and are subject to review from time to time.

SEMBAWANG



LEGEND:

-  MRT Line & Station
 (u/c) Under Construction
 Under Construction/Future Road
 Future North-South Corridor



Notes:

All proposed developments are subject to change and planning approval. The implementation is subject to review from time to time by the relevant authorities. The proposed facilities and their locations shown are indicative only.

Proposed Civic & Community Institution includes examples like Community Centre/Club, Association, Home for the Aged, etc.

The facilities shown (whether existing or proposed) may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship and funeral parlours may include columbarium, community centres may include childcare centres, and schools may be upgraded or built with higher-rise blocks.

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.

Eco-Friendly Living

To encourage a ‘green’ lifestyle, Canberra Vista will have several eco-friendly features to encourage green and sustainable lifestyles, such as:

- Separate chutes for recyclable waste
- Regenerative lifts to reduce energy consumption
- Bicycle stands to encourage cycling as an environmentally-friendly form of transport
- Parking spaces to facilitate car-sharing schemes
- Use of sustainable and recycled products in the development
- Active, Beautiful, Clean Waters design features to clean rainwater and beautify the landscapes



Smart Features

The common areas within Canberra Vista will be installed with Smart Lighting to reduce energy usage, and contribute to a sustainable and safer living environment.



Modern Homes

Canberra Vista offers 2-room Flexi, 3-, 4-, 5-room, and 3Gen flats.

More than just a well-designed and functional interior, these flats also come with the following finishes and fittings:

2-room Flexi Available either on a 99-year lease or short-lease
Floor tiles in the: • household shelter • bathroom • kitchen Wall tiles in the: • bathroom • kitchen A sliding partition/ door for the bedroom and folding bathroom door Grab bars (for 2-room Flexi flats on short-leases)

3-, 4-, 5-room, and 3Gen
Floor tiles in the: • household shelter • bathrooms • kitchen/ utility (3-room) • kitchen, service yard (4-, 5-room, and 3Gen) Wall tiles in the: • bathrooms • kitchen/ utility (3-room) • kitchen (4-, 5-room, and 3Gen)

To meet different lifestyle needs, the 46sqm 2-room Flexi flats in Canberra Vista come with a flexible space which flat buyers can use according to their preference. This flexible space can be used for dining, a study, or to place an extra bed. See suggested layout ideas in page 8.

To cater for changing lifestyles and to provide more flexibility in the use of kitchen space, HDB has designed the 3-room flats with an open kitchen concept comprising a dry kitchen and a combined kitchen/ utility space. The layout offers homeowners lots of flexibility in configuring the area according to their preferences. For example, you can add a partition to separate the:

- Utility from Kitchen
- Dry and Wet Kitchens
- Kitchen from Living/ Dining area

See suggested layout ideas in pages 9 and 10.


Optional Component Scheme

The Optional Component Scheme (OCS) provides convenience for our buyers, and is offered on an opt-in basis. Please refer to the attached OCS leaflets for details.

When a flat buyer opts in for the OCS, the cost of the optional components will be added to the flat price.




Without Living/ Dining/ Bedroom
Floor Finishes (Default)




2-ROOM FLEXI (TYPE 1) FLOOR PLAN
(With Suggested Furniture Layout)
APPROX. FLOOR AREA 38 sqm
(Inclusive of Internal Floor Area of 36 sqm and Air-con Ledge)


With Living/ Dining/ Bedroom
Floor Finishes



2-ROOM FLEXI (TYPE 1) FLOOR PLAN
(With Suggested Furniture Layout)
APPROX. FLOOR AREA 38 sqm
(Inclusive of Internal Floor Area of 36 sqm and Air-con Ledge)



2-ROOM FLEXI (TYPE 2) FLOOR PLAN
(With Suggested Furniture Layout)
APPROX. FLOOR AREA 48 sqm
(Inclusive of Internal Floor Area of 46 sqm and Air-con Ledge)



2-ROOM FLEXI (TYPE 2) FLOOR PLAN
(With Suggested Furniture Layout)
APPROX. FLOOR AREA 48 sqm
(Inclusive of Internal Floor Area of 46 sqm and Air-con Ledge)


To meet different lifestyle needs, the 46sqm 2-room Flexi flats come with a flexible space which flat buyers can use according to their preference. This flexible space can be used for dining, a study, or to place an extra bed.

To cater for changing lifestyles and to provide more flexibility in the use of kitchen space, HDB has designed the flats with an open kitchen concept comprising a dry kitchen and a combined kitchen/ utility space.

The layout offers homeowners lots of flexibility in configuring the area according to their preferences.

For example, you can add a partition to separate the:

- Utility from Kitchen (A)
- Dry and Wet Kitchens (B)
- Kitchen from Living/ Dining area (C)



3-ROOM FLOOR PLAN
(With Suggested Furniture Layout)
APPROX. FLOOR AREA 69 sqm
(Inclusive of Internal Floor Area of 66 sqm and Air-con Ledge)




Partition B - Separating Dry and Wet Kitchen




Partition A - Separating Utility from Kitchen




Partition C - Separating Kitchen from Living/ Dining area



4-ROOM FLOOR PLAN
 (With Suggested Furniture Layout)
 APPROX. FLOOR AREA 93 sqm
 (Inclusive of Internal Floor Area of 90 sqm and Air-con Ledge)



5-ROOM FLOOR PLAN
 (With Suggested Furniture Layout)
 APPROX. FLOOR AREA 113 sqm
 (Inclusive of Internal Floor Area of 110 sqm and Air-con Ledge)



3GEN FLAT FLOOR PLAN
 (With Suggested Furniture Layout)
 APPROX. FLOOR AREA 120 sqm
 (Inclusive of Internal Floor Area of 115 sqm and Air-con Ledge)



LEGEND

	2-Room Flexi (Type 1)
	2-Room Flexi (Type 2)
	3-Room
	4-Room
	5-Room
	3Gen Flat
	Surrounding Buildings / Structures
	Reserved for Development / Existing Development
	Linkway / Precinct Pavilion (PP) / Drop-Off Porch (DOP) / Shelter (S) / Link Bridge (LB)
	Trellis (T)
	2-Storey Child Care Centre with Roof Garden (Accessible at 2nd and 3rd Storey) / 1-Storey Future Amenities / Facilities (FA/F)
	Residents' Committee Centre (RCC) / Future Amenities / Facilities (FA/F) at 1st Storey
	Children Playground (PG) / Elderly Fitness Station (EFS) / Adult Fitness Station (AFS) / Hardcourt (HC)
	Utility Centre (UC) at 1st Storey
	Electrical Sub-Station (ESS) at 1st Storey
	Multi-Storey Carpark
	Drainage Reserve (Covered)
	Open Space
	Staircase
	Driveway
	Centralised Refuse Chute/ Chute for Recyclable Refuse
	Lift
	Corridor
	Service Bay
	(U/C) Under Construction


Block Number	Number of Storey	2 Room Flexi Type 1	2 Room Flexi Type 2	3 Room	4 Room	5 Room	3Gen Flat	Total	Lift opens at
376A	10	-	-	-	18	52	9	79	Every storey
376B	10	-	-	-	45	16	9	70	Every storey
376C	10	27	44	9	9	-	-	89	Every storey
377A	10	18	71	9	9	-	-	107	Every storey
377B	10	18	90	-	18	-	-	126	Every storey
377C	10	18	96	-	18	-	-	132	Every storey
378A	10	9	54	18	-	-	-	81	Every storey
378B	10	18	27	36	-	-	-	81	Every storey
378C	10	8	41	16	-	-	-	65	Every storey
379A	10	-	-	-	18	63	9	90	Every storey
379B	10	27	36	18	54	-	-	135	Every storey
379C	10	9	81	18	36	-	-	144	Every storey
380A	10	-	-	-	54	36	-	90	Every storey
380B	10	-	-	-	52	27	9	88	Every storey
380C	10	-	-	-	54	27	9	90	Every storey
Total		152	540	314	353	223	45	1480	



- Notes:**
- All proposed developments are subject to change and planning approval. The implementation is subject to review from time to time by the relevant authorities. The proposed facilities and their locations shown are indicative only.
 - The facilities shown (whether existing or proposed) may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship and funeral parlours may include columbarium, community centres may include childcare centres, and schools may be upgraded or built with higher-rise blocks.
 - The use of the void deck in any apartment block, common property (such as precinct pavilion), car park or stand-alone community building for future amenities/facilities (such as childcare centres, elderly-related facilities, education centres, residents' committee centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities, is subject to review from time to time.
 - The residential blocks may be completed ahead of the proposed precinct facilities, so that flat buyers are able to collect the keys to their new homes earlier.
 - Unless otherwise indicated in the sales brochure, all facilities within the project, including but not limited to roof gardens and sky terraces (if any), will be open to the public.

Applicants are encouraged to visit the place before booking a flat.






BLOCK 376A

- 4-ROOM
- 5-ROOM
- 3GEN FLAT




BLOCK 376B

- 4-ROOM
- 5-ROOM
- 3GEN FLAT




BLOCK 376C

- 2-ROOM FLEXI (TYPE 1)
- 2-ROOM FLEXI (TYPE 2)
- 3-ROOM
- 4-ROOM




BLOCK 377A

- 2-ROOM FLEXI (TYPE 1)
- 2-ROOM FLEXI (TYPE 2)
- 3-ROOM
- 4-ROOM




BLOCK 377B

- 2-ROOM FLEXI (TYPE 1)
- 2-ROOM FLEXI (TYPE 2)
- 4-ROOM




BLOCK 377C

- 2-ROOM FLEXI (TYPE 1)
- 2-ROOM FLEXI (TYPE 2)
- 4-ROOM




BLOCK 378A

- 2-Room Flexi (Type 1)
- 2-Room Flexi (Type 2)
- 3-Room




BLOCK 378B

- 2-Room Flexi (Type 1)
- 2-Room Flexi (Type 2)
- 3-Room




BLOCK 378C

- 2-Room Flexi (Type 1)
- 2-Room Flexi (Type 2)
- 3-Room




BLOCK 379A

- 4-Room
- 5-Room
- 3-Gen Flat



BLOCK 379B

- 2-Room Flexi (Type 1)
- 2-Room Flexi (Type 2)
- 3-Room
- 4-Room



BLOCK 379C

- 2-Room Flexi (Type 1)
- 2-Room Flexi (Type 2)
- 3-Room
- 4-Room



BLOCK 376A (2ND TO 6TH & 8TH TO 10TH STOREY FLOOR PLAN)

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATTE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 376A (7TH STOREY FLOOR PLAN)

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 376B (2ND STOREY FLOOR PLAN)

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 376B (3RD TO 10TH STOREY FLOOR PLAN)

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATTE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 376C (2ND STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 376C (3RD TO 10TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS		THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)		SCALE 0m 5m 10m 15m	



BLOCK 377A (2ND STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS		THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)		SCALE 0m 5m 10m 15m	



BLOCK 377A (3RD TO 10TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS		THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)		SCALE 0m 5m 10m 15m	



BLOCK 377B (2ND TO 10TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATTE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 377C (2ND STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

UNITS AT AND ABOVE 5TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 378

W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATTE THE BOUNDARY OF THE FLAT
---	--	----------------------------	---



BLOCK 377C **(3RD STOREY FLOOR PLAN)**

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

UNITS AT AND ABOVE 5TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 378

W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATTE THE BOUNDARY OF THE FLAT
---	--	----------------------------	---



BLOCK 378A (2ND TO 10TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

UNITS AT AND ABOVE 9TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 379

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS		THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)		SCALE 0m 5m 10m 15m	



BLOCK 378B (2ND TO 10TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 378C **(2ND STOREY FLOOR PLAN)**

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

UNITS AT AND ABOVE 5TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 378

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 378C (3RD STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

UNITS AT AND ABOVE 5TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 378

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 378C **(5TH TO 10TH STOREY FLOOR PLAN)**

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE


UNITS AT AND ABOVE 5TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 378

WINDOW LEGEND W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
--	--	-----------------------------------	--



BLOCK 379A (2ND TO 10TH STOREY FLOOR PLAN)

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 379B (2ND TO 10TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

UNITS AT AND ABOVE 5TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 378

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 379C (2ND TO 10TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS) WHERE APPLICABLE

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 380A (2ND TO 10TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 8TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 379

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



BLOCK 380B **(2ND TO 6TH, 8TH TO 10TH STOREY FLOOR PLAN)**

UNITS AT AND ABOVE 8TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 379

WINDOW LEGEND W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATTE THE BOUNDARY OF THE FLAT
--	---	----------------------------	--



BLOCK 380B (7TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 8TH STOREY ARE HIGHER THAN ROOF GARDEN OF BLOCK 379

WINDOW LEGEND	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0m 5m 10m 15m	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATTE THE BOUNDARY OF THE FLAT
W1 - THREE QUARTER HEIGHT WINDOW (Approx. 550mm HIGH PARAPET WALL)			



General Specifications For *Canberra Vista*

For 2-room Flexi (short lease)

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance	: laminated timber door and metal gate
Bedroom	: laminated UPVC sliding partition/ door, where applicable
Living/Dining	: laminated UPVC folding door (optional)
Bathroom/ WC	: laminated UPVC folding door
Household Shelter	: metal door

Finishes

Living/ Dining/ Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting (optional)
Kitchen/ Bathroom/ WC/ Household Shelter Floor	: glazed porcelain tiles
Kitchen/ Bathroom/ WC Walls	: glazed porcelain tiles
Ceilings/ Other Walls	: skim coated or plastered and painted

Fittings

Quality Locksets
Water Closet Suite
Clothes Drying Rack
Grab Bars
Wash basin with tap mixer, bath/ shower mixer with shower set (optional)
Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink and dish drying rack (optional)
Built-in Wardrobe (optional)
Window Grilles (optional)
Water Heater (optional)
Lighting (optional)

Services

Gas services and concealed water supply pipes
Exposed sanitary stacks at Air-con ledge
Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)
Television points
Data points

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

General Specifications For *Canberra Vista*

For 2-room Flexi, 3-room, 4-room, 5-room & 3Gen

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance	: laminated timber door and metal gate
Bedroom	: laminated UPVC door (optional)
	: laminated UPVC sliding partition/ door for 2-room Flexi, where applicable
Bathroom/ WC	: laminated UPVC folding door (optional)
	: laminated UPVC folding door for 2-room Flexi
Household Shelter	: metal door
Service Yard	: aluminium framed door with glass

Finishes

Living/ Dining/ Dry Kitchen Floor	: polished porcelain tiles with laminated UPVC skirting (optional)
Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting (optional)
Living/ Dining/ Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting for 2-room Flexi (optional)
Kitchen/ Utility/ Bathroom/ WC/ Household Shelter Floor	: glazed porcelain tiles
Service Yard Floor	: glazed porcelain tiles with tile skirting
Kitchen/ Utility/ Bathroom/ WC Walls	: glazed porcelain tiles
Ceilings/ Other Walls	: skim coated or plastered and painted

Fittings

Quality Locksets
Water Closet Suite
Clothes Drying Rack
Wash basin with tap mixer, bath/ shower mixer with shower set (optional)

Services

Gas services and concealed water supply pipes
Exposed sanitary stacks (which can be located at Service Yard and/ or Air-con ledge)
Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)
Television points
Data points

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

Disclaimer

- 1) HDB owns the copyright in all information, maps, and plans of this brochure.
- 2) The content provided in this brochure is not intended to form part of any offer or contract for the sale of the flats. They are provided for your general information only, and are not statements or representations of fact.
- 3) Visual representations, such as pictures, art renderings, depictions, illustrations, photographs, drawings, as well as other graphic representations and references, are only artistic impressions. They are provided for your general information only, and are not representations of fact.
- 4) The information on this project, including but not limited to the dimensions, areas, plans, colour schemes, descriptions, and specifications, are subject to change or review without notice at our sole discretion or if required by the relevant authorities.
- 5) We may at any time, without any notice and at our sole discretion, change any aspect of this project, including but not limited to the omission, amalgamation, increase, or reduction of amenities and facilities, colour schemes, design features, and specifications.
- 6) We will not entertain any request for alteration of the layout or specifications of a flat to suit individual needs.
- 7) While reasonable care has been taken in providing the information in this brochure, we do not warrant its accuracy. We shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.
- 8) The floor areas shown are scaled strata areas and subject to final survey.
- 9) The surrounding land use, proposed facilities and their locations as shown in the maps and plans are indicative only and subject to change. They may include ancillary uses allowed under the Urban Redevelopment Authority's prevailing Development Control guidelines.
- 10) We reserve the right to use or allow the use of:
 - the void deck in any Apartment block,
 - Car park;
 - Common property (such as precinct pavilion); or
 - Standalone community building,for:
 - Future amenities/ facilities (such as child care centres, elderly-related facilities, education centres, residents' committee centres, and day activity centres);
 - Commercial facilities (such as shops and eating houses);
 - Mechanical and electrical rooms; and
 - Such other facilities as we deem fit.
- 11) This brochure does not and is not intended to provide full and complete information of the guidelines or requirements of the relevant authorities. You are advised to approach the relevant authorities directly for full information and details of these guidelines and requirements.



Copyright © Housing & Development Board
All rights reserved. March 2020

OPTIONAL COMPONENT SCHEME

(2-ROOM FLEXI FLATS – CANBERRA VISTA)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS items will be added to the selling price of the selected flat.

The 2-room Flexi flats come in 2 sizes: 36sqm and 46sqm, and are available either on a 99-year lease or short-lease.

All 2-room Flexi flats come with:

- floor finishes in the kitchen, household shelter and bathroom
- wall tiles in bathroom and kitchen
- sliding partition/ door for bedroom; folding bathroom door
- water closet suite in the bathroom



Grab bars will be installed for all short-lease flats to assist elderly buyers in moving around the flats

FOR ALL 2-ROOM FLEXI FLATS

PACKAGE 1

- Flooring in the living/ dining room and bedroom
- 3-panel sliding partition, separating the living room and bedroom (for 36sqm 2-room Flexi flat only)

Note:

Those who opted out of Package 1 will be provided with a 2-panel sliding partition and short wall separating living room and bedroom.



3-panel sliding partition



2-panel sliding partition

PACKAGE 2

- Sanitary fittings, i.e. washbasin with tap mixer and shower set with bath/ shower mixer



Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.

February 2020



**HOUSING &
DEVELOPMENT
BOARD**

OPTIONAL COMPONENT SCHEME

(2-ROOM FLEXI FLATS – CANBERRA VISTA)

FOR SHORT-LEASE 2-ROOM FLEXI FLATS ONLY

PACKAGE 3 offers elderly buyers the convenience of having a flat in move-in condition. It comprises:

ELDERLY-FRIENDLY FITTINGS



- Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink, tap and dish drying rack.



Here are some features of an induction hob:

- It does not produce an open flame
- Its cooking zone cools down faster
- It is easier to clean than a gas hob
- As it has a flat surface, pots placed on an induction hob are less likely to topple over.


With these features, the use of the induction hob would promote a safer and cleaner environment.



- Kitchen cabinets come with mobile cabinets to provide knee space (especially for wheelchair users)

- Built-in bedroom wardrobe with a lower clothes hanging rod for easy reach

- An option to have a lower counter top height



- Folding door at the flexible space next to bedroom




OTHER FITTINGS



- Window grilles for safety and security



- Mirror



- Toilet roll holder



- Lighting



- Water heater

Buyers who opt for Package 3 must select Package 1.

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.

February 2020

OPTIONAL COMPONENT SCHEME

(3-, 4-, 5- ROOM, AND 3GEN FLATS – CANBERRA VISTA)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS items will be added to the selling price of the selected flat.

These flats come with:

- floor finishes in the kitchen, household shelter, service yard and bathrooms
- wall tiles in the bathrooms and kitchen
- water closet suite in each bathroom

YOU CAN CHOOSE TO HAVE THE FOLLOWING ITEMS INSTALLED IN YOUR SELECTED FLAT:

- Floor finishes for living/ dining room and bedrooms
- Internal doors + sanitary fittings
 - wash basin with tap mixer
 - shower set with bath/ shower mixer



Wash basin with tap mixer in attached bathroom



Wash basin with tap mixer



Handheld shower set with bath/ shower mixer

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.

February 2020